


RUGGED GUARD TOUR SOLUTION PROFESSIONAL MANUFACTURER SINCE 2006



- Sensor area
- 8 Label Area
- 6 USB port

- **LED** indicator
- 4 Anti-slide area

Benefits



RFID Reading

RFID reader does not need to touch the checkpoint, proximity sensor. Checkpoint can be installed in the wall. Waterproof and long-lasting.



Metal body

Metal body, durable structure to resist dropping



Impact Records

Impact record is a timing when employee sabotages the device, through this timing to ask for the accountability of maintenance and increase efficiency and at the patrolling work



USB transmission

Data can be exported to software with USB cable. No need to purchase docking station additionally .

Technical Parameters

Function USB LCD LED (torch)

YES/NO YES NO NO

Reading technology Read 125kHz EM(ID) tags proximity

Material Aluminum alloyWork power consumption30mA

Storage 80,000 pieces Impact record 32,000 pieces

Workable temperature degree Celsius -20 to 70

Workable humidity 30% to 90% Communication USB cable

Battery 3.7v built-in rechargeable li-ion battery

Prompt LED +vibration

Data cable, safety protective cover,

Standard accessories charger plug, software


Baud rate 115200

Performance IP 67, waterproof, shockproof

Dimension 130mm x 40mm x 25mm

Net weight 170g

Working Map



Content



Charger

ger USB cable







Case

Software

Manual